Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
Operating Systems (64-bit only)										
Windows 11 Enterprise & Professional (64-bit)			✓	✓	✓	✓		✓	✓	✓
Windows 10 Anniversary Enterprise & Professional (64-bit)	✓	✓	✓	✓	✓	✓		✓	✓	✓
Windows 8.1 Update 1 Enterprise & Professional (64-bit)	✓	✓	✓	✓	✓	✓		✓	✓	✓
Windows 7 Enterprise & Professional SP1 (64-bit)	✓	✓	✓	✓	✓	✓		✓	✓	✓
Windows Server 2019 [22]										
Windows Server 2016	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows Server 2012 R2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Windows Server 2008 R2 SP1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ubuntu Server Edition 16.04 LTS										
Advantech Smart Swarm 2.2.2										
Advantech Smart Router Series coLinux										
Safari on iOS 11+ for iPad Support									✓	
Microsoft Office										
Office 365 (Desktop/Click-to-run)	✓	✓	✓	✓	✓	✓				
Office 2019 (64-bit)	✓	✓	✓	✓	✓	✓				
Office 2019 (32-bit)	✓	✓	✓	✓	✓	✓				
Office 2016 (64-bit)	✓	✓	✓	✓	✓	✓				

Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
Office 2016 (32-bit)	✓	✓	✓	✓	✓	✓				
Office 2013 SP1 (32-bit)	✓	✓	✓	✓	✓	✓				
Office 2010 SP2 (32-bit)	✓	✓	✓	✓	✓	✓				
Database Servers										
Microsoft SQL Server 2017 (Enterprise/Standard Edition)	✓	✓	✓	✓	✓	✓	✓			✓
Microsoft SQL Server 2017 (Express Edition)	✓	✓		✓	✓	✓				
Microsoft SQL Server 2016 SP1 (Enterprise/Standard Edition)	✓	✓	✓	✓	✓	✓	✓			✓
Microsoft SQL Server 2016 SP1 (Express Edition)	✓	✓		✓	✓	✓				
Microsoft SQL Server 2014 SP2 (Enterprise/Standard Edition)	✓	✓	✓	✓	✓	✓				✓
Microsoft SQL Server 2014 SP2 (Express Edition)	✓	✓		✓	✓	✓				
Microsoft SQL Server 2012 SP3 (Enterprise/Standard Edition)	✓	✓	✓	✓	✓	✓	✓			✓
Microsoft SQL Server 2012 SP3 (Express Edition)	✓	✓		✓	✓	✓				
SQL Server Local DB	✓[12]	✓[12]	✓[12]	✓[12]	✓[12]	✓[12]				
SQL Server 2012 Analysis Services										
Oracle Database 12.2.x 64-bit				✓	✓		✓			✓
Oracle Database 11.2.x 64-bit				✓	✓					✓
Database Clients										
Microsoft SQL Server 2017 (Express Edition)										
Microsoft SQL Server 2016 SP1 (Express Edition)										

Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
Microsoft SQL Server 2014 SP2 (Express Edition)										
Microsoft SQL Server 2012 SP2 (Express Edition)										
Microsoft SQL Server 2008 R2 SP3 (Express Edition)										
Oracle Client 18.3 32-bit										
Oracle Client 18.3 64-bit										
Oracle Client 12.1.0.2 32-bit				✓	✓					
Oracle Client 11.2.0.4 32-bit				✓	✓					
Oracle Client 12.2.x 64-bit										
Oracle Client 11.2.x 64-bit										
Runtimes										
.NET Framework 4.7.1	✓	✓	✓	✓	✓	✓	✓			✓
.NET Framework 4.0										
.NET Framework 3.5										
32-bit Java 8 JRE update 151										
32-bit Java 8 JDK update 151										
64-bit Java 8 JRE update 151										
64-bit Java 8 JDK update 151										
64-bit AdoptOpenJDK Java 8 u181										
32-bit AdoptOpenJDK Java 8 u181										
MSXML 6	✓	✓			✓	✓	✓	✓	✓	✓
Visual Studio 2013, 2015, 2017										
Microsoft Visual C++ Redistributable 2017	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
Microsoft Visual C++ Redistributable 2015										
Microsoft Visual C++ Redistributable 2013										
Visual Studio 2010 Tools for Office Runtime				✓	✓					
Virtualization										
Microsoft App-V 5.1										
Microsoft Hyper-V (Server)	✓	✓	✓	✓	✓	✓	✓			✓
VMware ESX Server 6.x (Server)	✓	✓	✓	✓	✓	✓	✓			✓
Microsoft Terminal Services (Desktop)								✓	✓	✓
Citrix XenApp 7.14 (Desktop)								✓	✓	✓
Web Browsers										
Internet Explorer 11	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Microsoft Edge										
Google Chrome Evergreen Version 104+	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Safari on iOS 11+ for iPad Support									✓	
Security Components/Services										
Aspen Framework (AFW) 5						✓				
Non-Domain Security Group						✓				
Microsoft Active Directory / Active Directory Domain Services	✓	✓								
Java App (Servers)										

Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
Apache Tomcat 8.5+										
Web Servers										
IIS 10	✓	✓					✓			✓
IIS 8.5	✓	✓					✓			✓
IIS 7.5	✓	✓					✓			✓
Reporting Services										
Microsoft Report Viewer 2010 SP1										
Microsoft SQL Server 2008 R2/2012/2014/2016/2017 Reporting Services			✓	✓	✓	✓				
Crystal Reports 8.5										
Crystal Reports 11										
Malware Blocking Features										
DEP-Data Execution Prevention	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Integration Components										
Aspen Supply Chain Connect										
Informatica Powercenter 10.2 HF1										
Cloud Support *										
Azure VM - Microsoft										
Amazon VM (AWS)										
Azure VM - Linux										

V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
Suite — Manufacturing & Supply Chain Suite — Petroleum Supply Chain (PSC)										
Windows Virtual Desktop (WVD Fall 2019 Release) [27]			✓	✓	✓	✓				
Nutanix XiFrame			✓	✓	✓	✓				
Azure Virtual Apps Essentials										
Deployment Tools										
SCCM 2016 (version 1606)										
SCCM 2012 R2 SP1										
Built With										
FORTRAN 2017										
Desktop Types - Minimum Recommended										
Type I: Computer & processor: Intel Core-i5 family or faster Memory (RAM): **16** gigabytes (GB) RAM Hard Disk: **120** gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec										
Type II: Computer & processor: Intel Core-i5 family or faster Memory (RAM): **16** gigabytes (GB) RAM Hard Disk: **250** gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Server Types - Minimum Recommended										

Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
Type I: Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, **4** cores or more for multi-user environment Memory (RAM): **16** or above gigabytes (GB) RAM for standalone deployment, 16 or above gigabytes (GB) RAM for multi-user environment Hard Disk: **150** gigabytes (GB) available for standalone deployment, 300 gigabytes (GB) for multi-user environment Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec	✓	✓						✓	✓	
Type II: Computer & processor: Intel Xeon Gold series type system (**4** cores) or faster Memory (RAM): **16** or above gigabytes (GB) RAM Hard Disk: **300** gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)										
Type III: Computer & processor:4 x Intel (**8** cores) or faster Memory (RAM): **32** or above gigabytes (GB) RAM Hard Disk: **500** gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)										
Type IV: (IIoT Gateways) Computer & processor: ARM or Intel based CPU or more Memory (RAM): **256Mb** or more Hard Disk: **128Mb** or more										
Notes										

Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
* In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers" include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement. AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider; and (iii) the user is accessing the software only from a Site specified in the applicable license agreement. Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.	Petroleum Supply Chain (PSC) suite consists of the following products: Petroleum Supply Chain Planner (PSCP), Aspen Petroleum Scheduler (APS), PIMS									
When running software on a virtual machine, the machine should meet the same requirements.										
AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.										
Your Aspen SLM Server must be installed and running prior to installing any V11 product.										
If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.										
For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.										
Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)										
[1] This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for										
[2] EDR does not use any database servers. Deploys its own LocalDB database files.										

Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit

3 Aspen Batch Process Developer does not support the 64-bit version of Visio. Visio is used in ABPD to generate the block diagram and process flow diagram reports; it is an optional feature. The 64-bit versions of Word and Excel are fully supported by ABPD.

4 When Aspen Utility model is driven by Aspen Online using Local System Account, then SQL Express 2014 is required.

5 When Exchanger Design and Rating is driven by Aspen Online using Local System Account, then SQL Express 2014 is required

6 Aspen Modeler family supports FORTRAN compiler version 2017 or 2019

7 Oracle Java is needed if the 3rd party scheduling application Primavera is used with Economic Evaluation (EE). Primavera is owned by Oracle and its API uses Java.

8 Must be in compatibility mode for Aspen Process Sequencer

9 See "Basic Deployment Recommendations" in Appendix C of the Aspen Manufacturing Suite Advanced Process Control Installation Guide.

10 For new installations of APC Web Server, install IIS and JRE before installing APC Web Server

11 CIM-IO Interfaces can be installed on 32-bit desktops

12 This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable

13 Refer to KB 47648 For more information on configuring SCM products using Azure:

14 Oracle Database 12.1.0.2 is supported for Collaborative Forecasting, not 12.2.x.

15 ASCC web applications and the Informatica client will work only with MS Office 32-bit. Informatica Server uses 64-bit Office only.

16 Non-English OS's are not supported

Suite	Manufacturing & Supply Chain Suite									
	Petroleum Supply Chain (PSC)									
V11 Platform Specifications that are supported	aspenONE Unified PIMS 32-bit	aspenONE Unified Scheduling 32-bit	Petroleum Supply Chain Planner (PSCP/DPO)	Aspen Petroleum Scheduler (APS) 32-bit	Multi-Blend Optimizer (MBO) 32-bit	PIMS 32-bit	Aspen Fleet Optimizer (AFO) Web Server	Aspen Fleet Optimizer (AFO) Map Monitor Client	AFO Connect Client 64-bit	Aspen Fleet Optimizer (AFO) (Retail) 32-bit
17 If using IBM Maximo Adapter										
18 1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.										
19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud										
20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches installed on their machine.										
21 Office 365 - 32-bit support only										
22 Requires the latest patches of the corresponding AspenTech software										
27 WVD Certification Notes – 1. Publishing WVD apps to users local machine start menu not supported 2. Interoperability with 3rd party products only supported with Office 365 3. Aspen Properties Enterprise Database (APED) via SQL Server not supported 4. The following products have not been certified for WVD: ABE, ABPD, AOL, AVCA										
28 APEM does not support CDB-PDB database in Oracle 12.2. Weigh & Dispense Client 32-bit does not support Oracle										
29 APP-V is only supported with Process Explorer										
30 When you have more than 8 simultaneous users, the recommendation is 2CPU's and 4GB RAM per user. Performance will vary based on product and usage profiles. This can be considered a starting point for large multi-user machines.										

12/3/2021