Suite	Additional Products & Utilities								
V11 Platform Specifications that are supported	18 Exchange	Aspen Infrastructure - Product Installation	Software License Manager (SLM)	aspenONE Update Center Windows	aspenONE Integration Foundation	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)		
Operating Systems (64-bit only)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>				
Windows 10 Anniversary Enterprise & Professional (64-bit)									
Windows 8.1 Update 1 Enterprise & Professional (64-bit)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>				
Windows 7 Enterprise & Professional SP1 (64-bit)	<b>√</b>	✓	<b>√</b>	<b>√</b>	<b>√</b>				
Windows Server 2019 <b>22</b>									
Windows Server 2016	<b>√</b>	✓	✓	✓	✓	✓	✓		
Windows Server 2012 R2	√20	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Windows Server 2008 R2 SP1	✓	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Ubuntu Server Edition 16.04 LTS									
Advantech Smart Swarm 2.2.2									
Advantech Smart Router Series coLinux									
Safari on iOS 11+ for iPad Support									
Microsoft Office									
Office 365 (Desktop/Click-to-run)		✓			√21				
Office 2019 (64-bit)		✓							
Office 2019 (32-bit)		✓			<b>√</b>				
Office 2016 (64-bit)		<b>√</b>							
Office 2016 (32-bit)		✓			✓				
Office 2013 SP1 (32-bit)		<b>√</b>			<b>√</b>				
Office 2010 SP2 (32-bit)		<b>√</b>			✓				
Database Servers									
Microsoft SQL Server 2017 (Enterprise/Standard Edition)	<b>√</b>	<b>√</b>			✓	$\checkmark$	✓		
Microsoft SQL Server 2017 (Express Edition)		<b>√</b>							
Microsoft SQL Server 2016 SP1 (Enterprise/Standard Edition)	√	<b>√</b>			✓	✓	✓		
Microsoft SQL Server 2016 SP1 (Express Edition)		✓							
Microsoft SQL Server 2014 SP2 (Enterprise/Standard Edition)	✓	$\checkmark$			$\checkmark$	$\checkmark$	$\checkmark$		
Microsoft SQL Server 2014 SP2 (Express Edition)		<b>√</b>							
Microsoft SQL Server 2012 SP3 (Enterprise/Standard Edition)	✓	<b>√</b>			<b>√</b>	<b>√</b>	<b>√</b>		
Microsoft SQL Server 2012 SP3 (Express Edition)		<b>√</b>							

Suite	Additional Products & Utilities							
V11 Platform Specifications that are supported	18 Exchange	Aspen Infrastructure - Product Installation	Software License Manager (SLM)	aspenONE Update Center Windows	aspenONE Integration Foundation	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	
SQL Server Local DB		<b>√</b>						
SQL Server 2012 Analysis Services						$\checkmark$	<b>√</b>	
Oracle Database 12.2.x 64-bit					✓		<b>√</b>	
Oracle Database 11.2.x 64-bit					<b>√</b>		<b>√</b>	
Database Clients								
Microsoft SQL Server 2017 (Express Edition)					<b>√</b>			
Microsoft SQL Server 2016 SP1 (Express Edition)					$\checkmark$			
Microsoft SQL Server 2014 SP2 (Express Edition)					✓			
Microsoft SQL Server 2012 SP2 (Express Edition)					<b>√</b>			
Microsoft SQL Server 2008 R2 SP3 (Express Edition)					✓			
Oracle Client 18.3 32-bit					$\checkmark$			
Oracle Client 18.3 64-bit					<b>√</b>			
Oracle Client 12.1.0.2 32-bit					✓			
Oracle Client 11.2.0.4 32-bit					<b>√</b>			
Oracle Client 12.2.x 64-bit					<b>√</b>			
Oracle Client 11.2.x 64-bit					$\checkmark$			
Runtimes								
.NET Framework 4.7.1	✓	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	
.NET Framework 4.0								
.NET Framework 3.5								
32-bit Java 8 JRE update 151		$\checkmark$						
32-bit Java 8 JDK update 151		$\checkmark$						
64-bit Java 8 JRE update 151		$\checkmark$						
64-bit Java 8 JDK update 151		$\checkmark$						
64-bit AdoptOpenJDK Java 8 u181								
32-bit AdoptOpenJDK Java 8 u181								
MSXML 6		✓	✓		$\checkmark$	✓	$\checkmark$	
Visual Studio 2013, 2015, 2017								
Microsoft Visual C++ Redistributable 2017								
Microsoft Visual C++ Redistributable 2015								
Microsoft Visual C++ Redistributable 2013								
Visual Studio 2010 Tools for Office Runtime		$\checkmark$						
Virtualization								
Microsoft App-V 5.1								

Suite	Additional Products & Utilities								
V11 Platform Specifications that are supported	18 Exchange	Aspen Infrastructure - Product Installation	Software License Manager (SLM)	aspenONE Update Center Windows	aspenONE Integration Foundation	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)		
Microsoft Hyper-V (Server)	✓	<b>√</b>	✓		✓	✓	$\checkmark$		
VMware ESX Server 6.x (Server)	✓	<b>√</b>	✓		✓	✓	✓		
Microsoft Terminal Services (Desktop)	✓	<b>√</b>	$\checkmark$						
Citrix XenApp 7.14 (Desktop)	✓	<b>√</b>							
Web Browsers									
Internet Explorer 11	✓			$\checkmark$			$\checkmark$		
Microsoft Edge									
Google Chrome Evergreen Version 104+									
Safari on iOS 11+ for iPad Support									
Security Components/Services									
Aspen Framework (AFW) 5					$\checkmark$				
Non-Domain Security Group		<b>√</b>							
Microsoft Active Directory / Active Directory Domain Services		<b>√</b>							
Java App (Servers)				I	ı				
Apache Tomcat 8.5+	✓								
Web Servers									
IIS 10	<b>√</b>	<b>√</b>			$\checkmark$				
IIS 8.5	✓	$\checkmark$			$\checkmark$				
IIS 7.5	✓	<b>√</b>			✓				
Reporting Services									
Microsoft Report Viewer 2010 SP1		<b>√</b>							
Microsoft SQL Server 2008 R2/2012/2014/2016/2017 Reporting Services									
Crystal Reports 8.5									
Crystal Reports 11									
Malware Blocking Features									
DEP-Data Execution Prevention	✓	<b>✓</b>	$\checkmark$	$\checkmark$	$\checkmark$	<b>√</b>	✓		
Integration Components				i T	r T				
Aspen Supply Chain Connect									
Informatica Powercenter 10.2 HF1									
Cloud Support *									
Azure VM - Microsoft	✓	$\checkmark$	$\checkmark$						

Suite	Additional Products & Utilities								
V11 Platform Specifications that are supported	<b>18</b> Exchange	Aspen Infrastructure - Product Installation	Software License Manager (SLM)	aspenONE Update Center Windows	aspenONE Integration Foundation	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)		
Amazon VM (AWS)	<b>✓</b>	✓	<b>✓</b>						
Azure VM - Linux									
Windows Virtual Desktop (WVD Fall 2019 Release) 27									
Nutanix XiFrame									
Azure Virtual Apps Essentials	<b>√</b>	<b>√</b>	<b>√</b>						
Deployment Tools									
SCCM 2016 (version 1606)									
SCCM 2012 R2 SP1									
Built With		ı	ı						
FORTRAN 2017									
Type I:  Computer & processor: Intel Core-i5 family or faster Memory (RAM): 16 gigabytes (GB) RAM Hard Disk: 120 gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec  Type II: Computer & processor: Intel Core-i5 family or faster Memory (RAM): 16 gigabytes (GB) RAM Hard Disk: 250 gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor			✓		<b>✓</b>		✓ ·		
Server Types - Minimum Recommended									
Type I:  Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, 4 cores or more for multi-user environment Memory (RAM): 16 or above gigabytes (GB) RAM for standalone deployment, 16 or above gigabytes (GB) RAM for multi-user environment Hard Disk: 150 gigabytes (GB) available for standalone deployment, 300 gigabytes (GB) for multi-user environment Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec			<b>√</b>		√	√	✓		
Type II:  Computer & processor: Intel Xeon Gold series type system (4 cores) or faster  Memory (RAM): 16 or above gigabytes (GB) RAM  Hard Disk: 300 gigabytes (GB) or more available  Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor  Network: 100MB/Sec (Gigabyte network recommended)									

Notes  * In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers" include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement.  AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider, and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.  Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.  When running software on a virtual machine, the machine should meet the same requirements.  AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.  Your Aspen SLM Server must be installed and running prior to installing any V11 product.  If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  18				Additional Products & Utilities								
Computer & processor 4x Intel (& cores) or faster Memory (RAM): 32 or above gigabytes (GB) park Hard Olsk: 500 gigabytes (GB) or more available Monitor Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)  **Type IV: (ItoT Gateways) Computer & processor ARM or Intel based CPU or more Memory (RAM): 256Mb or more Hard Olsk: 128Mb or more  **In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers' include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement.  AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider; and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.  Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.  When running software on a virtual machine, the machine should meet the same requirements.  AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows (10) with AspenTech software already installed, our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.  Your Aspen SLM Server must be installed and running prior to installing any V11 product.  If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  For SLM server using the Type 1 Desktop configuration, the minimum	ntform Sp	ecifications that are su	upported		Aspen Infrastructure - Product Installation	Software License Manager (SLM)	aspenONE Update Center Windows	aspenONE Integration Foundation	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)		
Memory (RAM): 258Mb or more  Hardo Disk: 128Mb o	AM): <b>32</b> or about <b>500</b> gigabytes raphics hardwar monitor	ve gigabytes (GB) RAM (GB) or more available e acceleration requires a DirectX10 gra	aphics card and a 1280 x 1024 or higher									
* In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers" include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement.  AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider, and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.  Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.  When running software on a virtual machine, the machine should meet the same requirements.  AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.  Your Aspen SLM Server must be installed and running prior to installing any V11 product.  If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  18	& processor: Al AM): <b>256Mb</b> or	more										
Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider; and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.  Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.  When running software on a virtual machine, the machine should meet the same requirements.  AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.  Your Aspen SLM Server must be installed and running prior to installing any V11 product.  If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  18 1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  10 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	ed software or s with a manuf version of the	Supported Computers at custome acture, model and operating syste software, and that are controlled	er Sites. "Supported Computers" include m for which AspenTech offers a									
When running software on a virtual machine, the machine should meet the same requirements.  AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.  Your Aspen SLM Server must be installed and running prior to installing any V11 product.  If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  18 1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	Support specificulate cloud subservice provide	cations published by AspenTech for upport; (ii) only the customer has a er; and (iii) the user is accessing the	r the relevant version of the software ccess to the licensed software hosted by	,								
AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.  Your Aspen SLM Server must be installed and running prior to installing any V11 product.  If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  18 1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  10 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	•	• •	s, including the restrictions on which									
Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.  Your Aspen SLM Server must be installed and running prior to installing any V11 product.  If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  18 1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  10 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	ning software	on a virtual machine, the machine	should meet the same requirements.									
If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  18 1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	7 to Windows	10) with AspenTech software alrea	dy installed. Our recommendation is to									
For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  18 1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	n SLM Server	must be installed and running prio	r to installing any V11 product.									
hard drive.  Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)  1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	standalone, 1	280 x 800 is the minimum recomm	ended resolution monitor for servers.									
1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches			,									
1 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.  19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	Active Directo	ry/Domain Services (Required for a	ispenONE Web Server)									
SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud  If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches		-	nust select the Desktop Experience option durin	g								
If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches	ported in cloud	Azure VM/Amazon VM) for ENG product	s that are supported in the cloud									
		-	the latest Windows Update patches									
Office 365 - 32-bit support only	365 - 32-bit su	apport only		7								