Suite	Al of Things						
V12.1 Platform Specifications that are supported	Aspen IoT Analytics Suite	Aspen Data Science Studio (DSS)	Aspen Enterprise Insights	Aspen Edge Connect 64-bit	Aspen Cloud Connect 64-bit		
Operating Systems (64-bit only)	1	l		ı			
Windows 11 Enterprise & Professional (64-bit)					✓		
Windows 10 Anniversary Enterprise & Professional (64-bit)					✓		
Windows 8.1 Update 1 Enterprise & Professional (64-bit)					✓		
Windows Server 2019					✓		
Windows Server 2016					✓		
Windows Server 2012 R2					✓		
Ubuntu Server Edition 20.04 LTS				✓			
Ubuntu Server Edition 18.04 LTS				✓			
Ubuntu Server Edition 16.04 LTS				✓			
Microsoft Office							
Office 365 (Desktop/Click-to-run) (32-bit/64-bit)							
Office 2021 (64-bit)							
Office 2021 (32-bit)							
Office 2019 (64-bit)							
Office 2019 (32-bit)							
Office 2016 (64-bit)							
Office 2016 (32-bit)							
Office 2013 (32-bit)							
Database Servers							
Microsoft SQL Server 2019 (Enterprise/Standard Edition)			✓				
Microsoft SQL Server 2019 (Express Edition)							
Microsoft SQL Server 2017 (Enterprise/Standard Edition)			✓				
Microsoft SQL Server 2017 (Express Edition)							
Microsoft SQL Server 2016 (Enterprise/Standard Edition)			✓				
Microsoft SQL Server 2016 (Express Edition)							

Suite	Al of Things						
V12.1 Platform Specifications that are supported	Aspen IoT Analytics Suite	Aspen Data Science Studio (DSS)	Aspen Enterprise Insights	Aspen Edge Connect 64-bit	Aspen Cloud Connect 64-bit		
Microsoft SQL Server 2014 (Enterprise/Standard Edition)			✓				
Microsoft SQL Server 2014 (Express Edition)							
Microsoft SQL Server 2012 (Enterprise/Standard Edition)			✓				
Microsoft SQL Server 2012 (Express Edition)							
SQL Server 2014 Local DB							
SQL Server 2016 Local DB							
SQL Server 2012 -2019 Analysis Services							
ProgresSQL 13.2							
Oracle Database 19.xx 64-bit							
Oracle Database 18.xx 64-bit							
Oracle Database 12.2 64-bit							
Database Clients							
Oracle Client 19.x 32-bit							
Oracle Client 19.x 64-bit							
Oracle Client 18.x 32-bit							
Oracle Client 12.2 64-bit							
Oracle Client 12.2 32-bit							
Runtimes	T T		T	ı			
.NET Framework 4.8			✓				
.NET Framework 3.5							
.NET Core 3.1.x							
ASP.NET Core 3.1.x							
64-bit Oracle Java 11 JRE LTS							
64-bit Oracle Java 11 JDK LTS							
64-bit Oracle Java 8 JRE LTS							
64-bit Oracle Java 8 JDK LTS							

Suite	Al of Things							
V12.1 Platform Specifications that are supported	Aspen IoT Analytics Suite	Aspen Data Science Studio (DSS)	Aspen Enterprise Insights	Aspen Edge Connect 64-bit	Aspen Cloud Connect 64-bit			
32-bit AdoptOpenJDK Java 11 LTS								
64-bit AdoptOpenJDK Java 11 LTS								
64-bit AdoptOpenJDK Java 8 LTS								
MSXML 6								
Visual Studio 2019								
Visual Studio 2017								
Visual Studio 2015								
Visual Studio 2013								
Visual Studio 2010 Tools for Office Runtime			✓					
Microsoft Visual C++ Redistributable 2019			√					
Microsoft Visual C++ Redistributable 2017			√					
Microsoft Visual C++ Redistributable 2015			√					
Microsoft Visual C++ Redistributable 2013								
Virtualization								
Microsoft App-V 5.1								
Microsoft Hyper-V (Server)			✓					
VMware ESXi Hypervisor Server 6.x (Server)								
VMWare vSphere Enterprise Plus								
Microsoft Terminal Services (Desktop)								
Citrix XenApp 7.18 (Desktop)								
Web Browsers								
Internet Explorer 11			✓					
Microsoft Edge ²⁵	\checkmark	\checkmark	✓					
Google Chrome Evergreen Version 75+	✓	✓	✓	✓	\checkmark			
Firefox	✓	\checkmark	✓					
Chrome on iOS 13+ for iPad Support								
Safari on iOS 13+ for iPad Support			✓					

Suite	Al of Things						
V12.1 Platform Specifications that are supported	Aspen IoT Analytics Suite	Aspen Data Science Studio (DSS)	Aspen Enterprise Insights	Aspen Edge Connect 64-bit	Aspen Cloud Connect 64-bit		
Security Components/Services							
Aspen Framework (AFW) 5							
Java App (Servers)							
Apache Tomcat 9.0+							
Native Web Servers							
IIS 10							
IIS 8.5							
Reporting Services							
Microsoft Report Viewer 2015							
Microsoft SQL Server 2012/2014/2016/2017/2019 Reporting Services							
Load Balancing							
F5 Load Balancing							
Integration Components							
Aspen Supply Chain Connect							
Informatica Powercenter 10.4							
Cloud Support *							
Azure VM - Microsoft			✓	✓	\checkmark		
Amazon VM (AWS)			✓	✓	✓		
Azure VM - Linux				✓	✓		
Nutanix XiFrame							
Virtual Apps Essentials							
Windows Virtual Desktop (WVD Fall 2019 Release) 27							
Deployment Tools							
SCCM				<u> </u>			
Supported Versions of Fortran							
FORTRAN 2019							
Container Support							
Docker Engine-Enterprise 19.03.x							
Docker Compose 1.26.x							

Suite	Al of Things					
V12.1 Platform Specifications that are supported	Aspen IoT Analytics Suite	Aspen Data Science Studio (DSS)	Aspen Enterprise Insights	Aspen Edge Connect 64-bit	Aspen Cloud Connect 64-bit	
Desktop Types - Minimum Recommended		1				
Type I: Computer & processor: Intel Core-i5 family or faster Memory (RAM): 16 gigabytes (GB) RAM Hard Disk: 120 gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec				✓	✓	
Type II: Computer & processor: Intel Core-i5 family or faster Memory (RAM): 16 gigabytes (GB) RAM Hard Disk: 250 gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec						
Server Types - Minimum Recommended						
Type I: Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, 4 cores or more for multi-user environment Memory (RAM): 16 or above gigabytes (GB) RAM for standalone deployment, 32 or above gigabytes (GB) RAM for multi-user environment Hard Disk: 150 gigabytes (GB) available for standalone deployment, 300 gigabytes (GB) for multi-user environment Monitror: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec.				√	√	
Type II: Computer & processor: Intel Xeon Gold series type system (4 cores) or faster Memory (RAM): 16 or above gigabytes (GB) RAM Hard Disk: 300 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)			✓			
Type III: Computer & processor: Intel Cascade Lake-based Xeon processor with 8 cores or more per processor Memory (RAM): 32 or above gigabytes (GB) RAM Hard Disk: 500 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)						
Type IV: (IIoT Gateways) Computer & processor: ARM or Intel based CPU or more Memory (RAM): 256Mb or more Hard Disk: 128Mb or more				✓		
Type V Windows Server 2019 v1809+ Memory (RAM in GB): Minimum: 16 Recommended: 32 Cores: Minimum: 4, Recommended: 8 Disk space (GB): Minimum: 64, Recommended: 100 Network (MB/s): Minimum: 50, Recommended: 100 Notes						

Notes

iuite		A	l of Thir	ngs	
/12.1 Platform Specifications that are supported	Aspen loT Analytics Suite	Aspen Data Science Studio (DSS)	Aspen Enterprise Insights	Aspen Edge Connect 64-bit	Aspen Cloud Connect 64-bit
In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed oftware on Supported Computers at customer Sites. "Supported Computers" include computers with a nanufacture, model and operating system for which AspenTech offers a supported version of the software, and hat are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement. spenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support pecifications published by AspenTech for the relevant version of the software product include cloud support; (ii) nly the customer has access to the licensed software hosted by the cloud service provider; and (iii) the user is accessing the software only from a Site specified in the applicable license agreement. Isolated by the cloud service provider, and (iii) the user is considered to the software only from a Site specified in the applicable license agreement.	Analytics S	uite, Aspen nsights, As	Data Scienc	ng products: e Studio, Asp Connect an	en
When running software on a virtual machine, the machine should meet the same requirements. spenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before pgrading the OS and reinstall it after the upgrade.					
our Aspen SLM Server must be installed and running prior to installing any V12 product. running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.					
or SLM server using Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.					
hicrosoft Active Directory/Domain Services (Required for aspenONE Web Server) minimum of 10GB of free space is needed to install/upgrade products.	-				
This configuration is only practical for small scale models and deployments. For most applications, best eployment practice dictates the use of a separate and dedicated database server for acceptable performance					
EDR does not use any database servers. Deploys its own LocalDB database files. Aspen Batch Process Developer does not support the 64-bit version of Visio. Visio is used in ABPD to generate ne block diagram and process flow diagram reports; it is an optional feature. The 64-bit versions of Word and keel are fully supported by ABPD.					

When Aspen Utility model is driven by Aspen Online using Local System Account, then SQL Express 2014 is required.

When Exchanger Design and Rating is driven by Aspen Online using Local System Account, then SQL Express

Oracle or AdoptOpenJDK Java is needed if the 3rd party scheduling application Primavera is used with Economic

Aspen Modeler family supports FORTRAN compiler version 2020

ivaluation (EE). Primavera is owned by Oracle and its API uses Java.

Must be in compatibility mode for Aspen Process Sequencer

2014 is required

Suite	Al of Things					
V12.1 Platform Specifications that are supported	Aspen IoT Analytics Suite	Aspen Data Science Studio (DSS)	Aspen Enterprise Insights	Aspen Edge Connect 64-bit	Aspen Cloud Connect 64-bit	
9 See "Basic Deployment Recommendations" in Appendix C of the Aspen Manufacturing Suite Advanced Process Control Installation Guide.						
10 For new installations of APC Web Server, install IIS and JRE before installing APC Web Server	1					
11 CIM-IO Interfaces can be installed on 32-bit desktops						
12 This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable						
13 Refer to KB 47648 For more information on configuring SCM products using Azure: https://esupport.aspentech.com/S Article?id=000047648						
14 Only Web Download Excel Add-in requires Excel.						
15 Users need to install both the 32-bit and 64-bit Oracle Clients 19.x for building and running reports						
16 Non-English OS's are not supported						
17 If using IBM Maximo Adapter						
18 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.						
19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud						
20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches installed on their machine.						
21 Office 365 - 32-bit support only						
22 Server-grade systems are not required but still supported.						
Browser Support as it relates to Knowledge Delivery only (for +A)						
ATOMS Web does not support Oracle						
25 Only the version of MS Edge that uses the Google Chrome engine is supported						
26 Maestro supports Windows Server 2019 version 1809+	1					
27 W/D Certification Notes — 1. Publishing W/D apps to users local machine start menu not supported 2. Interoperability with 3rd party products only supported with Office 365 3. Aspen Properties Enterprise Database (APED) via SQL Server not supported 4. The following products have not been certified for W/D: ABE, ABPD, AOL, AVCA 28 APEM does not support CDB-PDB database in Oracle 12.2. Weigh & Dispense Client 32-bit does not support Oracle						
29 SCCM support for APEx only						
APM Insights must be installed on the same server as AEI.	l					
OptiPlant requires a graphic card which supports OpenGL 2.1. Resolution 1920 x 1080 is recommended.	J					

Suite	Al of Things				
V12.1 Platform Specifications that are supported	Aspen IoT Analytics Suite	Aspen Data Science Studio (DSS)	Aspen Enterprise Insights	Aspen Edge Connect 64-bit	Aspen Cloud Connect 64-bit
Type II is the minimum recommended when IP.21 is used with Enterprise InfoPlus.21 Historian.					
Aspen OptiRouter is dependent on Hexagon S3D platform which supports Windows Server 2012 R2.					
34 Required for web terminal, which is optional					
35 Azure support is available with V12 CP1					
36 APM Insights Quantification must be installed on the same server as Fidelis					
37 APP-V is only supported with Process Explorer					
38 When you have more than 8 simultaneous users, the recommendation is 2CPU's and 4GB RAM per user. Performance will vary based on product and usage profiles. This can be considered a starting point for large multi-					

user machines. 1/5/2022