

Suite	Manufacturing & Supply Chain Suite		
V12 Platform Specifications that are supported	Dynamic Optimization (GDOT)		
	aspenONE Unified GDOT Builder 64-bit	Aspen GDOT Online 32-bit	Aspen GDOT Offline 32-bit
Operating Systems (64-bit only)			
Windows 10 Anniversary Enterprise & Professional (64-bit)	✓		✓
Windows 8.1 Update 1 Enterprise & Professional (64-bit)	✓		
Windows Server 2019	✓	✓	✓
Windows Server 2016	✓	✓	✓
Windows Server 2012 R2	✓		
Ubuntu Server Edition 20.04 LTS			
Ubuntu Server Edition 18.04 LTS			
Ubuntu Server Edition 16.04 LTS			
Microsoft Office			
Office 365 (Desktop/Click-to-run) (32-bit/64-bit)	✓		
Office 2019 (64-bit)	✓		
Office 2019 (32-bit)	✓	✓	✓
Office 2016 (64-bit)	✓		
Office 2016 (32-bit)	✓	✓	✓
Office 2013 (32-bit)	✓	✓	✓
Database Servers			
Microsoft SQL Server 2019 (Enterprise/Standard Edition)	✓	✓	✓
Microsoft SQL Server 2019 (Express Edition)	✓	✓	✓
Microsoft SQL Server 2017 (Enterprise/Standard Edition)	✓	✓	✓
Microsoft SQL Server 2017 (Express Edition)	✓	✓	✓
Microsoft SQL Server 2016 (Enterprise/Standard Edition)	✓	✓	✓
Microsoft SQL Server 2016 (Express Edition)	✓	✓	✓
Microsoft SQL Server 2014 (Enterprise/Standard Edition)	✓	✓	✓
Microsoft SQL Server 2014 (Express Edition)	✓	✓	✓
Microsoft SQL Server 2012 (Enterprise/Standard Edition)	✓	✓	✓

Suite	Manufacturing & Supply Chain Suite		
V12 Platform Specifications that are supported	Dynamic Optimization (GDOT)		
	aspenONE Unified GDOT Builder 64-bit	Aspen GDOT Online 32-bit	Aspen GDOT Offline 32-bit
Microsoft SQL Server 2012 (Express Edition)	✓	✓	✓
SQL Server 2014 Local DB	✓ ¹²		
SQL Server 2012 -2019 Analysis Services			
Oracle Database 19.x.x 64-bit			
Oracle Database 18.x.x 64-bit			
Oracle Database 12.2 64-bit			
Database Clients			
Oracle Client 19.x 32-bit			
Oracle Client 19.x 64-bit			
Oracle Client 18.x 32-bit			
Oracle Client 12.2 64-bit			
Oracle Client 12.2 32-bit			
Runtimes			
.NET Framework 4.8	✓	✓	✓
.NET Core 3.1.x		✓	✓
ASP.NET Core 3.1.x			
64-bit Oracle Java 11 JRE LTS			
64-bit Oracle Java 11 JDK LTS			
64-bit Oracle Java 8 JRE LTS			
64-bit Oracle Java 8 JDK LTS			
32-bit AdoptOpenJDK Java 11 LTS			
64-bit AdoptOpenJDK Java 11 LTS			
64-bit AdoptOpenJDK Java 8 LTS			
MSXML 6	✓		
Visual Studio 2019			
Visual Studio 2017		✓	✓

Suite	Manufacturing & Supply Chain Suite		
V12 Platform Specifications that are supported	Dynamic Optimization (GDOT)		
	aspenONE Unified GDOT Builder 64-bit	Aspen GDOT Online 32-bit	Aspen GDOT Offline 32-bit
Visual Studio 2015		✓	✓
Visual Studio 2013			
Visual Studio 2010 Tools for Office Runtime			
Microsoft Visual C++ Redistributable 2019			
Microsoft Visual C++ Redistributable 2017	✓	✓	✓
Microsoft Visual C++ Redistributable 2015		✓	✓
Microsoft Visual C++ Redistributable 2013			
Virtualization			
Microsoft App-V 5.1			
Microsoft Hyper-V (Server)	✓	✓	✓
VMware ESXi Hypervisor Server 6.x (Server)	✓		
VMWare vSphere Enterprise Plus			
Microsoft Terminal Services (Desktop)			
Citrix XenApp 7.18 (Desktop)			
Web Browsers			
Internet Explorer 11	✓	✓	✓
Microsoft Edge ²⁵	✓	✓	✓
Google Chrome Evergreen Version 75+	✓	✓	✓
Firefox			
Chrome on iOS 12+ for iPad Support			
Safari on iOS 13+ for iPad Support+A86			
Security Components/Services			
Aspen Framework (AFW) 5			
Java App (Servers)			
Apache Tomcat 9.0+			
Native Web Servers			
IIS 10			
IIS 8.5			

Suite	Manufacturing & Supply Chain Suite		
V12 Platform Specifications that are supported	Dynamic Optimization (GDOT)		
	aspenONE Unified GDOT Builder 64-bit	Aspen GDOT Online 32-bit	Aspen GDOT Offline 32-bit
Reporting Services			
Microsoft Report Viewer 2015			
Microsoft SQL Server 2012/2014/2016/2017/2019 Reporting Services			
Load Balancing			
F5 Load Balancing			
Integration Components			
Aspen Supply Chain Connect			
Informatica Powercenter 10.4			
Cloud Support *			
Azure VM - Microsoft			
Amazon VM (AWS)			
Azure VM - Linux			
Nutanix XiFrame			
Virtual Apps Essentials			
Windows Virtual Desktop (WVD Fall 2019 Release) ²⁷			
Deployment Tools			
SCCM			
Supported Versions of Fortran			
FORTRAN 2019			
Container Support			
Docker Engine-Enterprise 19.03.x			
Docker Compose 1.26.x			
Desktop Types - Minimum Recommended			
Type I: Computer & processor: Intel Core-i5 family or faster Memory (RAM): 16 gigabytes (GB) RAM Hard Disk: 120 gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec			✓

Suite	Manufacturing & Supply Chain Suite		
V12 Platform Specifications that are supported	Dynamic Optimization (GDOT)		
	AspenONE Unified GDOT Builder 64-bit	Aspen GDOT Online 32-bit	Aspen GDOT Offline 32-bit
Type II: Computer & processor: Intel Core-i5 family or faster Memory (RAM): 16 gigabytes (GB) RAM Hard Disk: 250 gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec	✓		
Server Types - Minimum Recommended			
Type I: Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, 4 cores or more for multi-user environment Memory (RAM): 16 or above gigabytes (GB) RAM for standalone deployment, 32 or above gigabytes (GB) RAM for multi-user environment Hard Disk: 150 gigabytes (GB) available for standalone deployment, 300 gigabytes (GB) for multi-user environment Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec	✓	✓	
Type II: Computer & processor: Intel Xeon Gold series type system (4 cores) or faster Memory (RAM): 16 or above gigabytes (GB) RAM Hard Disk: 300 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)			
Type III: Computer & processor: Intel Cascade Lake-based Xeon processor with 8 cores or more per processor Memory (RAM): 32 or above gigabytes (GB) RAM Hard Disk: 500 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)			
Type IV: (IIoT Gateways) Computer & processor: ARM or Intel based CPU or more Memory (RAM): 256Mb or more Hard Disk: 128Mb or more			
Type V Windows Server 2019 v1809+ Memory (RAM in GB): Minimum: 16 Recommended: 32 Cores: Minimum: 4, Recommended: 8 Disk space (GB): Minimum: 64, Recommended: 100 Network (MB/s): Minimum: 50, Recommended: 100			
Notes			

Suite	Manufacturing & Supply Chain Suite		
V12 Platform Specifications that are supported	Dynamic Optimization (GDOT)		
	aspenONE Unified GDOT Builder 64-bit	Aspen GDOT Online 32-bit	Aspen GDOT Offline 32-bit
<p>* In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers" include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement.</p> <p>AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider; and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.</p> <p>Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.</p>			
When running software on a virtual machine, the machine should meet the same requirements.			
AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.			
Your Aspen SLM Server must be installed and running prior to installing any V12 product.			
If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.			
For SLM server using Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.			
Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)			
A minimum of 10GB of free space is needed to install/upgrade products.			
²⁵ Only the version of MS Edge that uses the Google Chrome engine is supported			