14 Platform Specifications that are supported perating Systems (64-bit only) indows 11 ndows 10 Enterprise & Professional (64-bit)	Aspen Al Model Builder	AES Property System	Process Modeling (Aspen Plus)	n & Rating	g (Aspen	7 (EE) 7	se	32	r E3D	3D	gu	Server	
indows 11		AES !	Process Model	Exchanger Design & Rating (EDR) 2	Process Modeling (Aspen HYSYS)	Economic Evaluation (EE)	Aspen Multi-Case	Aspen OptiPlant	Aspen OptiRouter for	Aspen OptiRouter S3D	Aspen Basic Engineering Desktop Client	Aspen Basic Engineering	Aspen Online (AOL)
ndows 10 Enterprise & Professional (64-bit)	√	✓	✓	√	✓	√	✓	√			√	✓	✓
	✓	✓	✓	√	✓	✓	√	✓			✓	√	√
indows Server 2022 ^{33, 45}		✓	✓	✓	✓	✓	√	√			✓	✓	V
ndows Server 2019 33, 45		✓	✓	✓	✓	√	√	✓			✓	√	√
ndows Server 2016 ^{33, 45}		✓	✓	✓	✓	✓	√	✓			✓	√	V
untu Server Edition 20.04 LTS													
untu Server Edition 18.04 LTS													
ountu Server Edition 16.04 LTS													
icrosoft Office													
fice 365 (Desktop/Click-to-run) (32-bit/64-bit)		√	√	√	√	√	√	√			√	√	~
fice 2021 (64-bit)		✓	√3	✓	✓	✓	√	✓			✓	✓	V
fice 2021 (32-bit)		✓	✓	✓	✓	✓	✓	✓			✓	✓	V
fice 2019 (64-bit)		✓	√3	✓	✓	✓	√	✓			✓	√	V
fice 2019 (32-bit)		✓	✓	✓	✓	√	✓	✓			✓	✓	V
fice 2016 (64-bit)		✓	√3	✓	✓	✓	\checkmark	\checkmark			✓	✓	~
fice 2016 (32-bit)		✓	✓	✓	✓	✓	✓	✓			✓	✓	V
fice 2013 (32-bit)		✓	✓	✓	✓								V
atabase Servers						T							
crosoft SQL Server 2019 (Enterprise/Standard Edition)		✓	✓		✓	✓	√					√	
crosoft SQL Server 2019 (Express Edition)		✓	✓		✓	√	√					✓	√
crosoft SQL Server 2017 (Enterprise/Standard Edition)		✓	✓		✓	✓	✓					✓	
crosoft SQL Server 2017 (Express Edition)		✓	✓		✓	✓	\checkmark					✓	
crosoft SQL Server 2016 (Enterprise/Standard Edition)		√	√		√		✓					√	
crosoft SQL Server 2016 (Express Edition)		✓	✓		✓		√					√	
crosoft SQL Server 2014 (Enterprise/Standard Edition)		√	√		✓		√					√	
crosoft SQL Server 2014 (Express Edition)		√	√4	✓	✓		√					√	
IL Server 2019 Local DB		1	1	√5	1	✓	✓					✓	
L Server 2014 -2019 Analysis Services													
stgreSQL 13.2							✓						
acle Database 19.x.x 64-bit												√	

Suite					E	ngine	ering	Suite					
V14 Platform Specifications that are supported	Aspen Al Model Builder	AES Property System	Process Modeling (Aspen Plus)	Exchanger Design & Rating (EDR) 2	Process Modeling (Aspen HYSYS)	Economic Evaluation (EE) 7	Aspen Multi-Case	Aspen OptiPlant ³²	Aspen OptiRouter for E3D	Aspen OptiRouter S3D	Aspen Basic Engineering Desktop Client	Aspen Basic Engineering Server	Aspen Online (AOL)
Oracle Client 19.x 32-bit													
Oracle Client 19.x 64-bit												√	
Oracle Client 18.x 32-bit													
Runtimes													
.NET Framework 4.8		✓	✓	✓	✓	✓	√	✓			✓	√	√
.NET 6.0.3							✓						
Aspen AloT Cloud libraries													
ASP.NET Core 6.0.3													
64-bit Oracle Java 17 JDK LTS													
64-bit Oracle Java 17 JDK LTS													
64-bit Oracle Java 11 JDK LTS													
64-bit Oracle Java 8 JDK LTS													
64-bit Oracle Java 8 JDK LTS						√7							
32-bit AdoptOpenJDK Java 17 JRE LTS													
64-bit AdoptOpenJDK Java 17 JRE LTS													
32-bit AdoptOpenJDK Java 11 JRE LTS													
64-bit AdoptOpenJDK Java 11 JRE LTS													
64-bit AdoptOpenJDK Java 8 JRE LTS						√7							
Python													
MSXML 6		✓	✓	√	✓	√					✓	√	√
Visual Studio 2022							✓						
Visual Studio 2019													
Visual Studio 2017													
Visual Studio 2010 Tools for Office Runtime											√		
Microsoft Visual C++ Redistributable 2022													
Microsoft Visual C++ Redistributable 2019			√	√	√	✓					√	√	
Microsoft Visual C++ Redistributable 2017			√	✓	√								
Virtualization								<u> </u>					
Microsoft Hyper-V (Server)		√	✓	✓	✓	✓	√				✓	✓	✓
VMware ESXi Hypervisor Server 6.x (Server)		√	✓	✓	✓	✓	✓	✓			✓	✓	√
VMWare vSphere Enterprise Plus													

Suite					E	inginee	ering	Suite					
V14 Platform Specifications that are supported	Aspen Al Model Builder	AES Property System	Process Modeling (Aspen Plus)	Exchanger Design & Rating (EDR) 2	Process Modeling (Aspen HYSYS)	Economic Evaluation (EE) 7	Aspen Multi-Case	Aspen OptiPlant	Aspen OptiRouter for E3D	Aspen OptiRouter S3D	Aspen Basic Engineering Desktop Client	Aspen Basic Engineering Server	Aspen Online (AOL)
Microsoft Terminal Services (Desktop)		✓	✓	✓	√	✓	✓	✓			√		✓
Citrix Virtual Apps and Desktops 7.1912 (Desktop)		✓	✓	✓	✓	✓	✓				✓		√
Web Browsers													
Microsoft Edge ²⁵	√	√	√23	√23	√23	√23	✓						
Google Chrome Evergreen Version 75+	✓	√	√23	√23	√23	√23	√						
Firefox	✓												
Chrome on iOS 14+ for iPad Support													
Safari on iOS 14+ for iPad Support													
Android 10+													Щ
Security Components/Services						T			T T			l	
Aspen Framework (AFW) 5													
TLS 1.2											✓	✓	
Java App (Servers)													
Apache Tomcat 9.x													
Native Web Servers												√	
IIS 10 Reporting Services												v	
Microsoft Report Viewer 2015						√							
						· ·							
Microsoft SQL Server 2014/2016/2017/2019/ 2020/2022 Reporting Services													
Load Balancing													
F5 Load Balancing Integration Components													
Aspen Supply Chain Connect													
Informatica Powercenter 10.5.2 Cloud Support *													
Azure VM (Microsoft)		√	√	√	✓	√	√	√			√	√	√
AWS VM (Amazon)		√	√	√	√	√	√	✓			√	√	✓
Azure VM - Linux													
Azure Virtual Desktop (AVD) 27		✓	✓	√	✓	√	√	✓			√		√
AWS RDS (SQL)													
Azure SQL													
Deployment Tools													
SCCM	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓
Supported Versions of Fortran													
FORTRAN 2021			√6										

Suite					E	inginee	ering :	Suite					
V14 Platform Specifications that are supported	Aspen Al Model Builder	AES Property System	Process Modeling (Aspen Plus)	Exchanger Design & Rating (EDR)	Process Modeling (Aspen HYSYS)	Economic Evaluation (EE) 7	Aspen Multi-Case	Aspen OptiPlant ³²	Aspen OptiRouter for E3D	Aspen OptiRouter S3D	Aspen Basic Engineering Desktop Client	Aspen Basic Engineering Server	Aspen Online (AOL)
Container Support	ı					ı							
Docker Engine-Enterprise 19.03.x													
Docker Compose 1.26.x													
Desktop Types - Minimum Recommended	l			ı	ı	1			1	1		1	
Type I: Computer & processor: Intel Core-i5 family or faster Memory (RAM in GB): 16 Hard Disk (GB): 120 Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps	✓	√22	√22	√22	√22	√22, 44	√	√32			√	✓	√22
Type II: Computer & processor: Intel Core-i5 family or faster Memory (RAM in GB): 16 Hard Disk (GB): 250 Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps													
Type III: Computer & processor: 4CPU >= 2.8GHz (turbo max 3.2 preferred) Memory (RAM in GB): 16 Hard Disk (GB): 100 Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps													
Server Types - Minimum Recommended													
Type I: Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, 4 cores or more for multi-user environment Memory (RAM in GB): 16 + for standalone deployment, 32+ for multi-user environment Hard Disk (GB): 150 for standalone deployment, 300 for multi-user environment Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100 Mbps		√31	√31	√31	√31	√31		√32, 31					
Type II: Computer & processor: Intel Xeon Gold series type system (4 cores) or faster Memory (RAM in GB): 16 + Hard Disk (GB): 300 + Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100 Mbps													
Type III: Computer & processor: Intel Cascade Lake-based Xeon processor with 8 cores or more per processor Memory (RAM in GB): 32 or above gigabytes (GB) RAM HARD Disk (GB): 500 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100Mpbs (Gigabyte network recommended)		√1										√	√1
Type IV: (IIoT Gateways) Computer & processor: ARM or Intel based CPU or more Memory (RAM in GB): 256Mb or more Hard Disk (GB): 100 GB or more													
Type V Windows Server 2019 v1809+ Memory (RAM in GB): Minimum: 16 Recommended: 32 Cores: Minimum: 4, Recommended: 8 Disk space (GB): Minimum: 64, Recommended: 100 Network: Minimum: 50, Recommended: 100 Mbps													

Suite					E	nginee	ering :	Suite					
V14 Platform Specifications that are supported	Aspen Al Model Builder	AES Property System	Process Modeling (Aspen Plus)	Exchanger Design & Rating (EDR)	Process Modeling (Aspen HYSYS)	Economic Evaluation (EE) 7	Aspen Multi-Case	Aspen OptiPlant ³²	Aspen OptiRouter for E3D	Aspen OptiRouter S3D	Aspen Basic Engineering Desktop Client	Aspen Basic Engineering Server	Aspen Online (AOL)
Type VI Computer & processor: Intel Xeon E class processor or equivalent with dual core min. Memory (RAM in GB): Minimum: 4 Hard Disk (GB): Minimum 50. High IOPS drive, SSD preferred Network: 100 Mbps Type VII Computer & processor: Intel Xeon E class processor or equivalent with dual core min. Memory (RAM in GB): 8 +													
Hard Disk (GB): 100 GB min. High IOPS drive, SSD preferred Network: 100Mpbs Type VIII Computer & processor: Intel Xeon E class processor or equivalent with 8 cores or higher Memory (RAM in GB): 12 or above gigabytes (GB) RAM Hard Disk (GB): 2000 min. High IOPS drive, SSD preferred Network: 200Mbps Type IX													
Single model environment: Computer & processor: 4 vCPU > + 2.8 GHz Memory (RAM in GB): 8+ Hard Disk (GB): 100 Network: 100Mbps Type X Single model environment:													
Computer & processor: 8 vCPU > + 3.2 GHz Memory (RAM in GB): 16+ Hard Disk (GB): 100 Network: 100Mbps Type XI Multiple models within single environment (max models <= 10): Computer & processor: 4 vCPU > + 2.8 GHz (add 1.5vCPU per concurrent user) Memory (RAM in GB): 8+ (add 3GB per concurrent user)													
Hard Disk (GB): 100 (add .5GB per concurrent user) Network: 100Mbps Type XII Multiple models within single environment (max models <= 10): Computer & processor: 8 vCPU > + 3.2 GHz (add 1.5vCPU per concurrent user) Memory (RAM in GB): 16 or above gigabytes (GB) RAM (add 4GB RAM per concurrent user) Hard Disk (GB): 100 GB min. (add .5GB per concurrent user)													
Type XIII Supports 20 concurrent users: Computer 8 processor: 16 vCPU >+ 2.2 GHz) Memory (RAM in GB): 64 Hard Disk: 100 Network: 10 Mbps Type X1V													
Supports 100 concurrent users: Computer & processor: 16 vCPU >+ 2.2 GHz) Memory (RAM in GB): 32 Hard Disk (GB): 100 Network: 5 Mbps Type XV Computer & processor: 16 vCPU >+ 2.2 GHz) Memory (RAM in GB): 32 Hard Disk (GB): 100Mbps													

Notes

Suite					E	nginee	ering S	Suite					
V14 Platform Specifications that are supported	Aspen Al Model Builder	AES Property System	Process Modeling (Aspen Plus)	Exchanger Design & Rating (EDR) 2	Process Modeling (Aspen HYSYS)	Economic Evaluation (EE) 7	Aspen Multi-Case	Aspen OptiPlant ³²	Aspen OptiRouter for E3D	Aspen OptiRouter S3D	Aspen Basic Engineering Desktop Client	Aspen Basic Engineering Server	Aspen Online (AOL)
In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers' include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement. AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software product include cloud service provider, and (iii) the user is accessing the software only from a Site specified in the applicable license agreement. Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.	Design & R		Aspen Econ					ier, Aspen Plus fa een OptiPlant, As					
When running software on a virtual machine, the machine should meet the same requirements. AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade. Your Aspen SLM Server must be installed and running prior to installing any V14 product. If running standalone, 1280 x 800 is the minimum recommended resolution monitor for													
For SLM server using Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive. Microsoft Active Directory/Domain Services (Required for aspenONE Web Server) A minimum of 10GB of free space is needed to install/upgrade products on the C drive. This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable performance													
EDR does not use any database servers. Deploys its own LocalDB database files. 3 Aspen Batch Process Developer does not support the 64-bit version of Visio. Visio is used in ABPD to generate the block diagram and process flow diagram reports; it is an optional feature. The 64-bit versions of Word and Excel are fully supported by ABPD.													
When Aspen Utility model is driven by Aspen Online using Local System Account, then SQL Express 2014 is required. When Exchanger Design and Rating is driven by Aspen Online using Local System Account,													
then SQL Express 2014 is required 6 Aspen Modeler family supports FORTRAN compiler version 2020													
7 Oracle or AdoptOpenJDK Java is needed if the 3rd party scheduling application Primavera is used with Economic Evaluation (EE). Primavera is owned by Oracle and its API uses Java.													
Must be in compatibility mode for Aspen Process Sequencer													
9 See "Basic Deployment Recommendations" in Appendix C of the Aspen Manufacturing Suite Advanced Process Control Installation Guide.													
TO For new installations of APC Web Server, install IIS and JRE before installing APC Web													

V14 Platform Specifications that are supported	Aspen Al Model Builder
CIM-IO Interfaces can be installed on 32-bit desktops	-
This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable performance.	
Only Web Download Excel Add-in requires Excel.	
Users need to install both the 32-bit and 64-bit Oracle Clients 19.x for building and running eports	_
6 Non-English OS's are not supported	
SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in	
he cloud. 10 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches nstalled on their machine.	-
Office 365 - 32-bit support only	
22 Server-grade systems are not required but still supported.	-
Browser Support as it relates to Knowledge Delivery only	-
²⁴ ATOMS Web does not support Oracle	
25 Only the version of MS Edge that uses the Google Chrome engine is supported	-
Maestro supports Windows Server 2019 version 1809+	-
WVD Certification Notes – 1. Publishing WVD apps to users local machine start menu not supported 2. Interoperability with 3rd party products only supported with Office 365 3. Aspen Properties Enterprise Database (APED) via SQL Server not supported 1. The following products have not been certified for WVD: ABE, ABPD, AVCA 28. APEM does not support CDB-PDB database in Oracle 19.	
Weigh & Dispense Client 32-bit does not support Oracle SCCM support for APEx only	
APM Insights must be installed on the same server as AEI.	1
When you have more than 8 simultaneous users, the recommendation is 2CPU's and 4GB RAMD per user. Performance will vary based on product and usage profiles. This can be	
OptiPlant requires a graphic card which supports OpenGL 4.1	
includes support for Windows Server Datacenter	
Herowser support for AFO Connect	
Type II is the minimum recommended when IP.21 is used with Aspen Enterprise IP.21	
Small SLM Server	1

Engineering Suite

Suite					E	nginee	ering :	Suite					
V14 Platform Specifications that are supported	Aspen Al Model Builder	AES Property System	Process Modeling (Aspen Plus)	Exchanger Design & Rating (EDR) 2	Process Modeling (Aspen HYSYS)	Economic Evaluation (EE) 7	Aspen Multi-Case	Aspen OptiPlant ³²	Aspen OptiRouter for E3D	Aspen OptiRouter S3D	Aspen Basic Engineering Desktop Client	Aspen Basic Engineering Server	Aspen Online (AOL)

39 These applications can run on a desktop, but

This Application Should be installed on a dec

41 Require db needs to be created in MS SQL u

11 Require db needs to be created in MS SQL using platform

12 "Desktop Experience" installation of Windows Soption to install with or without "Desktop Experience required.

13 SQL is needed for S3D Layout, SQL versions 20

14 Resolution no higher than 1920x1080

15 Refer to the AspenTech Lifecycle Knowledge Bisupported Windows Server upgrade path: https://esupport.aspentech.com/S_ProductLifecycles.

16 The selected product uses Java 11 JRE as Oracle please use Oracle JDK download

17 SQL Server 2014 does not support AT TIME ZO Saving time will not be accounted for in the datab Results database.

10/25/2022

						Engineerin	na Suite				
at are supported	Aspen Al Model Builder	AES Property System	Process Modeling (Aspen Plus)	Exchanger Design & Rating (EDR) 2	(Aspen	EE) 7	Aspen Mutt-Case Aspen OptiPlant 32	Aspen OptiRouter for E3D	Aspen OptiRouter S3D	Aspen Basic Engineering Desktop Client	Aspen Basic Engineering Server Aspen Online (AOL)
it it is recommended to run models on a server edicated Web Server. using Mtell and then migrated to the target											
s Server. Windows Server installers present the rience". For GDOT, "Desktop Experience" is											
2014 and 2016 are supported by Hexagon											
e Base article to see a reference to the cyclePolicy											
acle do not have an option to download JRE, ZONE functionality Due to this, Daylight tabase views defined in Unified Scheduling											
tabase views defined in Unified Scheduling											