

***Aspentech Disclaimer
Aspen Technology may provide information regarding possible future product developments including new products, product features, product interfaces, integration, design, architecture, etc. that may be represented as "product roadmaps or product visions." Any such information is for discussion purposes only and does not constitute a commitment by Aspen Technology to do or deliver anything in these product roadmaps or otherwise. Any such commitment must be explicitly set forth in a written contract between the customer and Aspen Technology, executed by an authorized officer of each company

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
Operating Systems (64-bit only)		
Windows 11 Enterprise & Professional (64-bit)	✓	✓
Windows 10 Enterprise & Professional (64-bit)	✓	✓
Windows Server 2025	✓	✓
Windows Server 2022 33, 45	✓	✓
Windows Server 2019 33, 45	✓	✓
Ubuntu Server Edition 20.04 LTS		
Ubuntu Server Edition 18.04 LTS		
Ubuntu Server Edition 16.04 LTS		
RedHat Enterprise Linux 9.4		
RedHat Enterprise Linux 8.8		
Microsoft Office		
Office 365 (Desktop/Click-to-run) (32-bit/64-bit)		✓ ⁴⁸
Office 2024 (64-bit)		✓ ⁴⁸
Office 2024 (32-bit)		✓ ⁴⁸
Office 2021 (64-bit)		✓ ⁴⁸
Office 2021 (32-bit)		✓ ⁴⁸
Office 2019 (64-bit)		✓ ⁴⁸
Office 2019 (32-bit)		✓ ⁴⁸
Office 2016 (64-bit)		✓ ⁴⁸
Office 2016 (32-bit)		✓ ⁴⁸
Database Servers		
Microsoft SQL Server 2022 (Enterprise/Standard Edition)		

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
Microsoft SQL Server 2022 (Express Edition)		
Microsoft SQL Server 2019 (Enterprise/Standard Edition)		
Microsoft SQL Server 2019 (Express Edition)		
Microsoft SQL Server 2017 (Enterprise/Standard Edition)		
Microsoft SQL Server 2017 (Express Edition)		
Microsoft SQL Server 2016 (Enterprise/Standard Edition)		
Microsoft SQL Server 2016 (Express Edition)		
SQL Server 2019 Local DB		
SQL Server 2014 -2019 Analysis Services		
PostgreSQL 16.8		
PostgreSQL 13.2		
Oracle Database 19.x.x 64-bit		
MongoDB Database 5.0.x 64-bit	✓ ⁴⁹	
MongoDB Database 6.0.x 64-bit	✓ ⁴⁹	
MongoDB Database 7.0.x 64-bit	✓ ⁴⁹	✓ ⁴⁹
Database Clients		
Oracle Client 19.x 32-bit		
Oracle Client 19.x 64-bit		
Runtimes		
.NET Framework 4.8		
.NET 8.0.15		
.NET 8.0.10		
Aspen AloT Cloud libraries		
ASP.NET Core 8.0.10		
32-bit Oracle Java 21 JDK LTS		
64-bit Oracle Java 21 JDK LTS		

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
32-bit Oracle Java 17 JDK LTS		
64-bit Oracle Java 17 JDK LTS		
64-bit Oracle Java 11 JDK LTS		
32-bit Oracle Java 8 JDK LTS		
64-bit Oracle Java 8 JDK LTS		
32-bit Eclipse Temurin OpenJDK Java 21 JRE LTS		
64-bit Eclipse Temurin OpenJDK Java 21 JRE LTS		
32-bit Eclipse Temurin OpenJDK Java 17 JRE LTS		
64-bit Eclipse Temurin OpenJDK Java 17 JRE LTS		
32-bit Eclipse Temurin OpenJDK Java 11 JRE LTS		
64-bit Eclipse Temurin OpenJDK Java 11 JRE LTS		
64-bit Eclipse Temurin OpenJDK Java 8 JRE LTS		
Python 3.12		
Python 3.11		
Python 3.10		
Python 3.9		
Visual Studio 2022		
Visual Studio 2019		
Visual Studio 2017		
Visual Studio 2015		
Visual Studio 2010 Tools for Office Runtime		✓ ⁴⁸
Microsoft Visual C++ Redistributable 2022		
Microsoft Visual C++ Redistributable 2019		
Microsoft Visual C++ Redistributable 2017		
Microsoft Visual C++ Redistributable 2015		✓

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
Microsoft Visual C++ Redistributable 2013		
Microsoft MPI 8.1		
IBM Platform MPI 9.0.1		
Virtualization		
Microsoft Hyper-V (Server)		
VMware ESXi Hypervisor Server 8.x (Server)		
VMWare vSphere Enterprise Plus		
Microsoft Terminal Services (Desktop)		
Citrix Virtual Apps and Desktops 7.1912 (Desktop)		
Web Browsers		
Microsoft Edge ²⁵		
Google Chrome Evergreen Version 75+		
Firefox		
Chrome on iOS 14+ for iPad Support		
Safari on iOS 14+ for iPad Support		
Android 10+		
Security Components/Services		
AZURE AD		
Aspen Framework (AFW) 5		
TLS 1.2		
TLS 1.3		
Java App (Servers)		
Apache Tomcat 11.x		
Apache Tomcat 10.x		
Native Web Servers		
IIS 10		
Reporting Services		

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
Microsoft Report Viewer 2015		
Microsoft SQL Server 2014/2016/2017/2019/2020/2022 Reporting Services		
Integration Components		
Aspen Supply Chain Connect		
Informatica Powercenter 10.5.4		
Cloud Support *		
Azure VM (Microsoft)	✓	✓
AWS VM (Amazon)	✓	✓
Azure VM - Linux		
Azure SQL Managed Instance (SQL MI) 2022		
Azure Virtual Desktop (AVD) ²⁷		
AWS RDS (SQL)		
Azure SQL		
Deployment Tools		
SCCM		
Supported Versions of Fortran		
Intel Visual FORTRAN 2024.2 FX		
FORTRAN 2021		
Container Support		
Docker Engine-Enterprise 23.x		
Docker Compose 2.10.x		
Desktop Types - Minimum Required		
Type I: Computer & processor: Intel Core-i5 family or faster Memory (RAM in GB): 16 Hard Disk (GB): 120 Free Space - SSD recommended Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps	✓	✓

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
Type II: Computer & processor: Intel Core-i5 family or faster Memory (RAM in GB): 16 Hard Disk (GB): 250 Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps		
Type III: Computer & processor: 4CPU >= 2.8GHz (turbo max 3.2 preferred) Memory (RAM in GB): 16 Hard Disk (GB): 500 Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network (MB/s): 100Mbps		
Type IV: 2 x Intel Xeon 3.9GHz 8-core Memory (RAM in GB): 64GB Hard Disk (GB): 356 GB SSD Graphics Card: NVIDIA RTX A4000 GPU Monitor: 2 x 27" UHD monitors Network (MB/s): 100Mbps		
Server Types - Minimum Recommended		
Type I: Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, 4 cores or more for multi-user environment Memory (RAM in GB): 16 + for standalone deployment, 32+ for multi-user environment Hard Disk (GB): 150 for standalone deployment, 300 for multi-user environment Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100 Mbps		
Type II: Computer & processor: Intel Xeon Gold series type system (4 cores) or faster Memory (RAM in GB): 16 + Hard Disk (GB): 300 + Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100 Mbps		
Type III: Computer & processor: Intel Cascade Lake-based Xeon processor with 8 cores or more per processor Memory (RAM in GB): 32 or above gigabytes (GB) RAM Hard Disk (GB): 500 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100Mbps (Gigabyte network recommended)		
Type IV: (IIoT Gateways) Computer & processor: ARM or Intel based CPU or more Memory (RAM in GB): 256Mb or more Hard Disk (GB): 100 GB or more		

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
Type V Windows Server 2019 v1809+ Memory (RAM in GB): Minimum: 16 Recommended: 32 Cores: Minimum: 4 , Recommended: 8 Disk space (GB): Minimum: 64, Recommended: 100 Network: Minimum: 50, Recommended: 100 Mbps		
Type VI Computer & processor: Intel Xeon E class processor or equivalent with dual core min. Memory (RAM in GB): Minimum: 4 Hard Disk (GB): Minimum 50 , High IOPS drive, SSD preferred Network: 100 Mbps		
Type VII Computer & processor: Intel Xeon E class processor or equivalent with dual core min. Memory (RAM in GB): 8 + Hard Disk (GB): 100 GB min. High IOPS drive, SSD preferred Network: 100Mbps		
Type VIII Computer & processor: Intel Xeon E class processor or equivalent with 8 cores or higher Memory (RAM in GB): 12 or above gigabytes (GB) RAM Hard Disk (GB): 2000 min. High IOPS drive, SSD preferred Network: 200Mbps		
Type IX Single model environment: Computer & processor: 4 vCPU > + 2.8 GHz Memory (RAM in GB): 8+ Hard Disk (GB): 100 Network: 100Mbps		
Type X Single model environment: Computer & processor: 8 vCPU > + 3.2 GHz Memory (RAM in GB): 16+ Hard Disk (GB): 100 Network: 100Mbps		
Type XI Multiple models within single environment (max models <=10): Computer & processor: 4 vCPU > + 2.8 GHz (add 1.5vCPU per concurrent user) Memory (RAM in GB): 8+ (add 3GB per concurrent user) Hard Disk (GB): 100 (add .5GB per concurrent user) Network: 100Mbps		
Type XII Multiple models within single environment (max models <=10): Computer & processor: 8 vCPU > + 3.2 GHz (add 1.5vCPU per concurrent user) Memory (RAM in GB): 16 or above gigabytes (GB) RAM (add 4GB RAM per concurrent user) Hard Disk (GB): 100 GB min. (add .5GB per concurrent user) Network: 100Mbps		
Type XIII Supports 20 concurrent users: Computer & processor: 16 vCPU > + 2.2 GHz Memory (RAM in GB): 64 Hard Disk: C Drive: 100 , Drive D / E: 50 GB Network: 100 Mbps		

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
Type XIV Supports 100 concurrent users: Computer & processor: 16 vCPU > + 2.2 GHz Memory (RAM in GB): 32 Hard Disk (GB): 100 Network: 100 Mbps		
Type XV Computer & processor: 16 vCPU > + 2.2 GHz Memory (RAM in GB): 32 Hard Disk (GB): 100Mbps		
Type XVI Computer & processor: 16 CPU Memory (RAM in GB): 64 or above gigabytes (GB) RAM Hard Disk (GB): 2000 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100Mbps (Gigabyte network recommended)		
Type XVII Computer & processor: 32 CPU Memory (RAM in GB): 256 or above gigabytes (GB) RAM Hard Disk (GB): 2000 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100Mbps (Gigabyte network recommended)		
Notes		
<p>* In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers" include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement.</p> <p>AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider; and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.</p> <p>Cloud deployment does not change any license restrictions, including the restrictions on which users can access the software.</p> <p>When running software on a virtual machine, the machine should meet the same requirements.</p> <p>AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.</p> <p>Your Aspen SLM Server must be installed and running prior to installing any V14 product.</p>		

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.		
For SLM server using Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.		
Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)		
A minimum of 10GB of free space is needed to install/upgrade products on the C drive.		
¹ This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable performance		
² EDR does not use any database servers. Deploys its own LocalDB database files.		
³ Aspen Batch Process Developer does not support the 64-bit version of Visio. Visio is used in ABPD to generate the block diagram and process flow diagram reports; it is an optional feature. The 64-bit versions of Word and Excel are fully supported by ABPD.		
⁴ When Aspen Utility model is driven by Aspen Online using Local System Account, then SQL Express 2014 is required.		
⁵ When Exchanger Design and Rating is driven by Aspen Online using Local System Account, then SQL Express 2014 is required		
⁶ Aspen Modeler family supports FORTRAN compiler version 2020		
⁷ Oracle or AdoptOpenJDK Java is needed if the 3rd party scheduling application Primavera is used with Economic Evaluation (EE). Primavera is owned by Oracle and its API uses Java.		
⁸ Must be in compatibility mode for Aspen Process Sequencer		
⁹ See "Basic Deployment Recommendations" in Appendix C of the Aspen Manufacturing Suite Advanced Process Control Installation Guide.		
¹⁰ For new installations of APC Web Server, install IIS and JRE before installing APC Web Server		
¹¹ CIM-IO Interfaces can be installed on 32-bit desktops		
¹² This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable performance.		
¹³ Refer to KB 50134 For more information on configuring SCM products using Azure and AWS: https://esupport.aspentech.com/S_Article?id=000050134		
¹⁴ Only Web Download Excel Add-in requires Excel.		

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
15	Users need to install both the 32-bit and 64-bit Oracle Clients 19.x for building and running reports	
16	Non-English OS's are not supported	
19	SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud	
20	If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches installed on their machine.	
21	Office 365 - 32-bit support only	
22	Server-grade systems are not required but still supported.	
23	Browser Support as it relates to Knowledge Delivery only	
24	ATOMS Web does not support Oracle	
25	Only the version of MS Edge that uses the Google Chrome engine is supported	
26	Maestro supports Windows Server 2019 version 1809+	

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
<p>27 WVD Certification Notes –</p> <p>1. Publishing WVD apps to users local machine start menu not supported</p> <p>2. Interoperability with 3rd party products only supported with Office 365</p> <p>3. Aspen Properties Enterprise Database (APED) via SQL Server not supported</p> <p>4. The following products have not been certified for WVD: ABE, ABPD, AVCA</p>		
<p>28 APEM does not support CDB-PDB database in Oracle 19.</p> <p>Weigh & Dispense Client 32-bit does not support Oracle</p>		
29 sCCM support for APEX only		
30 APM Insights must be installed on the same server as AEI.		
<p>31 When you have more than 8 simultaneous users, the recommendation is 2CPU's and 4GB RAM per user. Performance will vary based on product and usage profiles. This can be considered a starting point for large multi-user machines.</p>		
32 OptiPlant requires a graphic card which supports OpenGL 4.1		
33 Includes support for Windows Server Datacenter		
34 Browser support for AFO Connect		
35 Type II is the minimum recommended when IP.21 is used with Aspen Enterprise IP.21 Historian		
36 Small SLM Server		
37 Medium SLM Server		
38 Large SLM Server		
39 These applications can run on a desktop, but it is recommended to run models on a server and have users connect via Citrix or Terminal Services.		
40 This Application Should be installed on a dedicated Web Server.		
41 The recommended Azure SQL infrastructure option is Azure Managed Instance. For assistance with database creation scripts, please contact AspenTech Support. The Aspen Properties component, required in Mtell, is not supported in Azure SQL. SQL Express can be used for these databases as an alternative		
42 "Desktop Experience" installation of Windows Server. Windows Server installers present the option to install with or without "Desktop Experience". For GDOT, "Desktop Experience" is required.		
43 SQL is needed for S3D Layout, SQL versions 2014 and 2016 are supported by Hexagon		

Suite	Industrial Data Fabric	
V15 Platform Specifications that are supported	AspenTech Inmation (Core, Relay, Connector, Server)	AspenTech Inmation (Web API, DataStudio)
44 Resolution no higher than 1920x1080		
45 Refer to the AspenTech Lifecycle Knowledge Base article to see a reference to the supported Windows Server upgrade path: https://esupport.aspentech.com/S_ProductLifecyclePolicy		
46 The selected product uses Java 11 JRE as Oracle do not have an option to download JRE, please use Oracle JDK download		
47 SQL Server 2014 does not support AT TIME ZONE functionality.. Due to this, Daylight Saving time will not be accounted for in the database views defined in Unified Scheduling Results database.		
48 Only Excel Document template does require Excel		
49 Only Core service requires MongoDB		
50 Applicable only for OpenviewNET client applications that connect to the Operational Insights server.		
51 Applicable only for Aspen Mtell Client applications like Aspen Mtell Agent Builder and Aspen Mtell System Manager. Aspen Mtell Server is recommended to be hosted on a Server class operating system.		
52 Applicable only for users who write custom Loglan code when using V14.5 and above versions.		
53. Only SQL security is supported for AWS RDS (SQL) databases. AspenProperties databases must be installed locally. Contact support for assistance with Mtell AWS RDS setup		
54. Office 365 - 64-bit support only		
55. Office 365 - 64-bit support only		
5/12/2025		