

**\*\*Aspentech Disclaimer**

Aspen Technology may provide information regarding possible future product developments including new products, product features, product interfaces, integration, design, architecture, etc. that may be represented as "product roadmaps or product visions." Any such information is for discussion purposes only and does not constitute a commitment by Aspen Technology to do or deliver anything in these product roadmaps or otherwise. Any such commitment must

[Link to to the AspenTech Summary of Strategy & Plans](#)

<b>Suite</b>		
<b>V11.1 Platform Specifications that are supported</b>	<b>GDOT</b>	
	V11 Aspen GDOT Online 32-bit	V10.1 Aspen GDOT Offline 32-bit

**Operating Systems (64-bit only)**

Windows 10 Anniversary (1809 LTSC) Enterprise & Professional (64-bit)	✓	✓
Windows 8.1 Update 1 Enterprise & Professional (64-bit)		
Windows 7 Enterprise & Professional SP1 (64-bit)		
Windows Server 2016 (build#1709)	✓	✓
Windows Server 2012 R2		
Windows Server 2008 R2 SP1		
Ubuntu Server Edition 16.04 LTS		
Advantech Smart Swarm 2.2.2		
Advantech Smart Router Series coLinux		
Safari on iOS 11+ for iPad Support		

**Microsoft Office**

Office 365 (Desktop/Click-to-run)		
Office 2016 (64-bit) Products to transition to 64-bit Office		
Office 2016 (32-bit)		
Office 2013 SP1 (32-bit)	✓	✓
Office 2010 SP2 (32-bit)		

**Database Servers**

Microsoft SQL Server 2017 (Enterprise/Standard Edition)		
---	--	--

Suite			
V11.1 Platform Specifications that are supported	GDOT		
	V11 Aspen GDOT Online 32-bit	V10.1 Aspen GDOT Offline 32-bit	
Microsoft SQL Server 2017 (Express Edition)			
Microsoft SQL Server 2016 SP1 (Enterprise/Standard Edition)	✓	✓	
Microsoft SQL Server 2016 SP1 (Express Edition)	✓	✓	
Microsoft SQL Server 2014 SP2 (Enterprise/Standard Edition)			
Microsoft SQL Server 2014 SP2 (Express Edition)			
Microsoft SQL Server 2012 SP3 (Enterprise/Standard Edition)			
Microsoft SQL Server 2012 SP3 (Express Edition)			
SQL Server Local DB			
SQL Server 2012 Analysis Services			
Oracle Database 12.2.x 64-bit			
Oracle Database 11.2.x 64-bit			
<b>Database Clients</b>			
Microsoft SQL Server 2017 (Express Edition)			
Microsoft SQL Server 2016 SP1 (Express Edition)			
Microsoft SQL Server 2014 SP2 (Express Edition)			
Microsoft SQL Server 2012 SP2 (Express Edition)			
Microsoft SQL Server 2008 R2 SP3 (Express Edition)			
Oracle Client 12.1.0.2 32-bit			
Oracle Client 11.2.0.4 32-bit			
Oracle Client 12.2.x 64-bit			
Oracle Client 11.2.x 64-bit			
<b>Runtimes</b>			
.NET Framework 4.7.1	✓	✓	
.NET Framework 4.0	✓	✓	
.NET Framework 3.5	✓	✓	
32-bit Java 8 JRE update 151			

Suite		
V11.1 Platform Specifications that are supported	GDOT	
	V11 Aspen GDOT Online 32-bit	V10.1 Aspen GDOT Offline 32-bit
32-bit Java 8 JDK update 151		
64-bit Java 8 JRE update 151		
64-bit Java 8 JDK update 151		
32-bit AdoptOpenJDK Java 8 u181		
64-bit AdoptOpenJDK Java 8 u181		
MSXML 6		
Visual Studio 2013, 2015, 2017		
Microsoft Visual C++ Redistributable 2017	✓	✓
Microsoft Visual C++ Redistributable 2015	✓	✓
Microsoft Visual C++ Redistributable 2013	✓	✓
Visual Studio 2010 Tools for Office Runtime		
<b>Virtualization</b>		
Microsoft App-V 5.1		
Microsoft Hyper-V (Server)	✓	✓
VMware vSphere 6.7 (Server)		
Microsoft Terminal Services (Desktop)		
Citrix XenApp 7.14 (Desktop)		
<b>Web Browsers</b>		
Internet Explorer 11	✓	✓
Microsoft Edge		
Google Chrome Evergreen Version 75+	✓	✓
Safari on iOS 11+ for iPad Support		
<b>Security Components/Services</b>		
Aspen Framework (AFW) 5		

Suite		
V11.1 Platform Specifications that are supported	GDOT	
	V11 Aspen GDOT Online 32-bit	V10.1 Aspen GDOT Offline 32-bit
Non-Domain Security Group		
Microsoft Active Directory / Active Directory Domain Services	✓	✓
<b>Java App (Servers)</b>		
Apache Tomcat 8.5+		
<b>Web Servers</b>		
IIS 10	✓	✓
IIS 8.5		
IIS 7.5		
<b>Reporting Services</b>		
Microsoft Report Viewer 2010 SP1		
Microsoft SQL Server 2008 R2/2012/2014/2016/2017 Reporting Services		
Crystal Reports 8.5		
Crystal Reports 11		
<b>Malware Blocking Features</b>		
DEP-Data Execution Prevention		
<b>Integration Components</b>		
Aspen Supply Chain Connect		
Informatica Powercenter 10.2 HF1		
<b>Cloud Support *</b>		
Azure VM - Microsoft		
Amazon VM (AWS)		
Azure VM - Linux		
Azure SQL		

Suite		
V11.1 Platform Specifications that are supported	GDOT	
	V11 Aspen GDOT Online 32-bit	V10.1 Aspen GDOT Offline 32-bit
Azure Cloud Service (Worker Role)		
Azure App Service (Web App)		
Azure CosmosDB		
Azure Redis Cache		
Azure IoT Hub		
Storage Account		
Nutanix Frame		
Azure Virtual Apps Essentials		
Deployment Tools		
SCCM 2016 (version 1606)		
SCCM 2012 R2 SP1		
Built With		
FORTRAN 2017		
Desktop Types - Minimum Recommended		
<b>Type I:</b> Computer & processor: Intel Core-i5 family or faster Memory (RAM): <b>16</b> gigabytes (GB) RAM Hard Disk: <b>120</b> gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec	✓	✓
<b>Type II:</b> Computer & processor: Intel Core-i5 family or faster Memory (RAM): <b>16</b> gigabytes (GB) RAM Hard Disk: <b>250</b> gigabytes (GB) available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec		
Server Types - Minimum Recommended		

Suite		
V11.1 Platform Specifications that are supported	GDOT	
	V11 Aspen GDOT Online 32-bit	V10.1 Aspen GDOT Offline 32-bit
<b>Type I:</b> Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, 4 cores or more for multi-user environment Memory (RAM): 16 or above gigabytes (GB) RAM for standalone deployment, 16 or above gigabytes (GB) RAM for multi-user environment Hard Disk: 150 gigabytes (GB) available for standalone deployment, 300 gigabytes (GB) for multi-user environment Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec		
<b>Type II:</b> Computer & processor: Intel Xeon Gold series type system (4 cores) or faster Memory (RAM): 16 or above gigabytes (GB) RAM Hard Disk: 300 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)		
<b>Type III:</b> Computer & processor: 4 x Intel (8 cores) or faster Memory (RAM): 32 or above gigabytes (GB) RAM Hard Disk: 500 gigabytes (GB) or more available Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1280 x 1024 or higher resolution monitor Network: 100MB/Sec (Gigabyte network recommended)		
<b>Type IV: (IIoT Gateways)</b> Computer & processor: ARM or Intel based CPU or more Memory (RAM): 256Mb or more Hard Disk: 128Mb or more		
<b>Notes</b>		
<p>* In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers" include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and that are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement.</p> <p>AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider; and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.</p> <p>Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.</p>	GDOT or Aspen Dynamic Optimization consists of the following products: Includes Aspen GDOT and Aspen GDOT Web Viewer, Aspen GDOT Configuration Tool, Aspen GDOT Simulation and Aspen GDOT Simulation Web Viewer	

Suite		
<b>V11.1 Platform Specifications that are supported</b>	GDOT	
	V11 Aspen GDOT Online 32-bit	V10.1 Aspen GDOT Offline 32-bit
When running software on a virtual machine, the machine should meet the same requirements.		
AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.		
Your Aspen SLM Server must be installed and running prior to installing any V11 product.		
If running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.		
For SLM server using the Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.		
Microsoft Active Directory/Domain Services (Required for aspenONE Web Server)		